



LEGUMES

For Increased Root Vigor, Growth and Yield:

Myconate activates mycorrhiza enhancing early season root growth & colonization leading to improved crop vigor & yield and thus profitability of legume production

Use Recommendations: Dry Bean, Lentil, Snap Bean, Peas

- Application Timing:** Apply Myconate at planting or within 1 week of planting. Myconate stimulates the Mycorrhiza in the root zone to germinate and colonize the roots as soon as they appear for improved early season vigor and season long benefits.
- In furrow Application:** Apply 1.5 oz of Myconate AS in furrow or seeding band at time of planting.
- Banded Application:** Band 1.5 oz Myconate AS per acre within one week of planting.
- Broadcast:** Broadcast 2.75 oz of Myconate AS per acre within one week of planting crop. Application can be combined with pesticide or fertilizer application (liquid fertilizer or impregnated on dry fertilizer) within 1 week of planting crop (Do not apply aerially).
- Overhead Irrigation:** Apply 2.75 oz of Myconate AS per acre through overhead irrigation system within one week of planting crop.
- For Best Performance:** Apply Myconate within or very near the root zone early in growing season. Incorporate into the root zone within one week of application using sufficient rainfall or irrigation.
- Other Considerations:** Myconate can be combined with and is compatible with most pesticides, and fertilizers.
- For Best Performance:** Apply Myconate within or very near the root zone early in growing season.
- Regulatory:** Myconate is a water-based soil additive and is not a pesticide or fertilizer. Read and follow label directions before using this product.



Sustainable Solutions for Agriculture

111 S Court Str. Ste. 206
Visalia, CA 93291
www.sym-agro.com